

May 2015


Dear Health Care Provider:

This letter is to advise you of a new change in packaging regarding your shipments of vaccine. You may notice the inside of the shipping cartons do not feel as cold as they may have previously. This is normal for our new containers. The configurations now contain refrigerated water bottles in place of refrigerated foam bricks, as well as frozen bricks. The water bottles can be unpacked, opened, and the contents can be poured down your drain. The bottle and cap can be recycled. The cool packs and/or water bottles are designed to absorb heat, thereby drawing any heat away from the product.

Sanofi Pasteur's cold chain development team has researched and implemented new materials and packaging configurations that significantly improve the insulation properties of our containers. The packaging configurations have been rigorously tested and qualified to ensure your products will be protected under the most extreme shipping conditions and will remain within the acceptable shipping temperature range for up to 2 days after the ship date located on the shipping label on the lid of the box. Your shipment may include refrigerated water bottles or a combination of refrigerated water bottles and frozen gel packs. The type and quantity were determined through extensive testing and are based on your geographic location and the temperatures that your shipment may experience throughout delivery. Periodic monitoring of the external and internal temperatures on test shipments under real life shipping conditions ensures that your products continue to arrive within the acceptable temperature range.

Sanofi Pasteur Inc. provides this information as a service to you for use in your practice.

Sincerely,



William Tarabek
Senior Director, Head of Distribution Operations NA
Sanofi Inc.

MKT29169